



Nexion
ITALIAN STYLE THAT INSPIRES

MARBLE | Looks

Amani Bronze
Antique Black
Bianco Lasa
Botticino
Breccia Aurora
Calacatta
Calacatta Bronzo
Calacatta Nero
Corinthian Beige
Crema Europa
Emperador Grigio
Frappuccino
Grigio Avio
Irish Green
Michelangelo
Onice Aria Beige
Onice Nero
Onice Persiano
Port Lorent
Pulpis Grigio
Quarzo Verde Aqua
Rosso Levanto
Statuario
Statuario freddo
Travertine Veincut Beige
Travertine Veincut Silver Grey

ARTIFICIAL | Looks

Ambient
Endless
Terracotta
Terræline

STONE | Looks

Lithic
Pietra del Cardoso
Runa

WOOD | Looks

Coniwood
Essenze

INDEX |

NEXION ABOUT

Nexion is a brand of Nexion Surfaces, a multinational ceramic company that is the result of a partnership between two large family groups that have always been leaders in their reference markets: Ceramiche Speranza, the best in its class Italian firm founded in 1961, that has setup the state of the art manufacturing facilities in India together with the Aghara family, one of the leading players in ceramics and sanitary-ware in India since 1977.

With mastery of technology and design, we turn the best of the Italian tradition and lifestyle into contemporary ceramic surfaces that can be source of inspiration for architects and designers around the world.

Open-minded and keen to learn from customers and partners, we are committed to deliver the best quality and service and we believe that our work ends when our clients fulfill their desires and achieve their goals.

Intro

- 2** Nexion's Essence
- 3** Our Company
- 4** Our Commitment to quality
- 5** Our Reach
- 6** Our People
- 7** CSR
- 9** Our Offer of Marble Looks
- 10** Marble Looks Designs
- 13** Our Marble Surfaces
- 81** Artificial Looks and Surfaces
- 82** Our Offer of Artificial Looks
- 95** Stone and Wood Looks and Surfaces
- 96** Our offer of Stone Looks & Wood Looks

Technical info

- 112** Technical info
- 113** Nexion's focus on quality
- 115** Packaging & shipping
- 116** Installation guidelines

Collections

MARBLE LOOKS

- 26** Statuario freddo
- 28** Michelangelo
- 30** Statuario
- 32** Calacatta
- 34** Bianco Lasa
- 36** Calacatta Bronzo
- 38** Onice Persiano
- 40** Crema Europa
- 42** Botticino
- 44** Travertine Veincut Beige
- 46** Breccia Aurora
- 48** Corinthian Beige
- 50** Amani Bronze
- 52** Travertine Veincut Silver Grey
- 54** Onice Aria Beige
- 56** Emperador Grigio
- 58** Pulpis Grigio
- 60** Grigio Avio
- 62** Frappuccino
- 64** Onice Nero
- 66** Port Lorent
- 68** Calacatta Nero
- 70** Antique Black
- 72** Quarzo Verde Aqua
- 74** Irish Green
- 76** Rosso Levanto

ARTIFICIAL LOOKS

- 83** Endless
- 86** Ambient
- 89** Terraelino
- 92** Terracotta

STONE LOOKS

- 97** Lithic
- 100** Pietra del Cardoso
- 103** Runa

WOOD LOOKS

- 106** Essenze
- 109** Coniwood

NEXION'S ESSENCE

We're relentlessly focused on reaching outstanding goals in the field of sintered stone slabs and to stay on our **commitment to excellence in manufacturing high quality slabs and large size tiles.**

To us excellence comes from passion and experience. **Passion and experience in mastering creativity, design, technology and process management.**

We always aim to the highest standards but we also allow for evolution and new valuable ideas. Italian creativity is in our soul: Nexion products are defined by quality, high standard and design. Materials blossom under the genius mind of Italian R&D and designer's team.

Never content to settle for the status quo, we also focus on a consulting approach cater to find new advanced solutions to our demanding clients.

Nature is an endless source of inspiration just as man-made materials are canvas for new perspectives. Both of these dimensions are stunning, textural, colorful and versatile mediums for designing and creating unique sintered solutions.

“We always aim to the highest standards but we also allow for evolution and new valuable ideas.”

OUR COMPANY

Nexion is a brand of Nexion Surfaces, a multinational ceramic company born from the meeting of two large family groups that have always been leaders in their reference markets: Ceramiche Speranza, the Italian firm founded in 1961 that established state-of-the-art manufacturing facilities in India together with the Aghara family, one of the leading players in ceramics and sanitary wares in India since 1977.



OUR COMMITMENT TO QUALITY

Superior physical and chemical characteristics – together with beautiful aesthetics – are the distinguishing feature of all Nexion collections.

To achieve the highest quality standards Nexion exploits decades of experience and devotes significant resources to continuous improvement.

Nexion's plant in India – the only one co-owned by an Italian and an Indian company – exploits the latest Italian machinery to manufacture high quality slabs and large size tiles.

The plant has a very high degree of automation, as required to consistently achieve the high levels of quality demanded by sophisticated customers in India and internationally.

According to the best practice, quality standards refer to the norms included in ISO 13006: Annex G - EN 14411 and all tests are carried out by renowned laboratories in Italy, accredited according to ISO/IEC 17025:2005.

At the plant, Nexion runs tests on all raw materials, semi-finished goods and end-products through the whole production process, under coordination of the Quality Assurance Department.

To get the best possible result, the company has devised an integrated set of rules, named **Nexion Quality Assurance Procedures (NQAP)**, to control all aspects of slabs manufacturing, that determine the physical and chemical characteristics of products.

NQAP include measurement processes, benchmark values and operating procedures for:

- **Chemical characteristics of raw materials**, asking for every single shipment is tested before the raw material enters into production process.

- **Intrinsic physical properties of slabs and tiles**, such as caliber and dimensions, orthogonality, planarity, water absorption and breaking strength.

- **Usage-related properties of products**, such as resistance to scratch and abrasion, thermal shock resistance, resistance to acid, stains, household chemicals and slippery.



While physical and chemical characteristics are described by norms and are measured objectively, aesthetical quality is left to individual company practices.

This might be an issue for customers, as aesthetical characteristics – such as realism of colors and absence of defects and shade variations – are very important for the beauty of flooring and wall surfaces.

To guarantee the best possible quality to customers, Nexion has devised innovative procedures to guarantee the compliance with original design, absence of defects and stability of product features (color, shade ...) on large production batches:

- **Nexion Shade Control Methodology (NSCM)** to guarantee the absence of unwanted shade variations with reference to the “master slab”, approved by the product designer


- **Nexion Light Reflection Quality Assessment (NLRQA)** to assess the absence of waviness or geometrical distortion of reflection of light by full polished, glossy surfaces

Nexion Shade Control Methodology (NSCM) is used in the Sorting Department to compare production items to the “master slab” originally approved by Product Development and kept in the Product Library of the company.



OUR REACH

Nexion is a global brand that crosses the borders of different countries. The main strategic value chain activities are based in Italy. Our top quality production is located in India into a fully automated state-of-art facility equipped with the latest Italian machineries. Our sales network focuses on specific high-potential and highvalue target markets all over the world.



OUR PEOPLE



We nurture our strong **multicultural vocation**: Nexion people are a successful and well integrated team with some of **the top talent of the Italian and Indian culture, both rich in history, tradition and values.**

Everyday, over 300 people use their passion, enthusiasm and highly specialized skills to turn the important targets we have set for ourselves into positive results.



“300 people use their passion, enthusiasm and highly specialized skills to turn the important targets we have set for ourselves into positive results.”



CSR

The most precious resources are our employees.

For this reason, even before the launch of our plant we have given life to an special program of **“Corporate Social Responsibility”** which aims to **provide to our employees and their families the best living work-life conditions possible especially in a developing country such as India.**

The CSR program covers different areas: **work conditions, welfare, surveillance and medical assistance**; we dedicate great attention to our employees’s worklife balance by providing them high quality amenities and accommodations for their families within our company’s compound.

Our purpose is simple as much as essential in nature: we want to create the best possible working-life conditions allowing our employees to live a dignified and satisfying life both inside and outside the workplace.

We are proud of the standards that we have achieved and we hope that, following our example, more companies will commit to improve the working and living conditions of employees and their families.



NEXION SINTERED MARBLE

Thanks to an in-depth study of the finest marbles **we devised many design and surfaces that interpret natural marbles and artificial materials with new high-tech features**, in line with the needs of contemporary architecture.

Our sintered marbles distinguish themselves for their rare beauty, able to give back all the flavor of marbles that have always represented the maximum degree of exclusivity in the construction field, designed and developed for the most refined tastes.

Nexion sintered marble is a modern synthesis between aesthetic richness and technical capabilities, highlighted even more by the multiple variations of surface finishes, striving to obtain the right perceptive effect according to its own design context.



MARBLE LOOKS DESIGNS |


26 DESIGNS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario Freddo



Michelangelo



Statuario



Onice Persiano



Crema Europa



Botticino



Calacatta



Bianco Lasa



Calacatta Bronzo



Travertine Veincut Beige



Breccia Aurora



Corinthian Beige



MARBLE LOOKS DESIGNS |

Amani Bronze



Travertine Veincut Silver Grey



Onice Aria Beige




Frappuccino



Onice Nero



Port Lorent



Emperador Grigio



Pulpis Grigio



Grigio Avio



Calacatta Nero



Antique Black



Quarzo Verde Aqua



MARBLE LOOKS DESIGNS |

Irish Green



Rosso Levanto



Wall: Rosso Levanto 120x240 Full Lappato
Floor: Travertine Veincut Beige 120x240 Lappato Matt, Coniwood Larice 20x120

OUR MARBLE SURFACES

Nexion has given to marble collections the beauty of sintered surfaces, designed for the most versatile and modular standard on the market. The result is an **advanced mix of graphic qualities and performance advantages that opens a new era for interior design floors and walls**, making Nexion a unique surface-driven brand in the world.

Full Lappato is the most notable marble surface in interior design. With perfect mirror reflection, obtained by superior glaze quality and master-class polishing, this surface exalts the graphics and the deepness of fine marble slabs.

Lappato Matt is a contemporary interpretation of marble surface, with its characteristic absence of any reflection. Dedicated to the world of design, architecture and furniture.

Naturale is a surface finish that can be appreciated for its well-defined softness. An advanced reworking of the graphic richness of the marbles, available in different floor.

Full Lappato

Gloss: 95



Lappato Matt

Gloss: 8



Naturale





Wall: Onice Persiano 120x120 Full Lappato
Floor: Emperador Grigio 120x240 Full Lappato



Wall: Bianco Lasa 120x120 Lappato Matt
Floor: Pulpis Grigio 120x240 Lappato Matt



Wall: Statuario 120x240 Rigato, Statuario 120x240 Full Lappato
Floor: Port Lorent 120x240 Naturale
Outdoor: Endless Grigio

LUCIDO OPACO: AN IRIDESCENCE MODULATIONS ON SURFACES

Lucido Opaco is an iridescence modulations on surfaces devised by Nexion's research and development team, leveraging on its artisan mastery.

The company has created the new Glossy-Matt surface, specially designed to emphasize the graphics of precious marbles.

2 DESIGNS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Travertine Veincut Beige



Pulpis Grigio





Wall: Travertine 120x240 Lucido Opaco
Floor: Travertine 120x240 Lucido Opaco

SPAZZOLATO: A FEELING OF SOFTNESS

The **Spazzolato** is distinguished by a feeling of softness, embellished with a delicate hollow and relief engrave graphic typical of real marble.

A new visual effect with a tactile consistency also amplified and fully enhanced by its grazing light conditions on surfaces.

6 DESIGNS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario



Calacatta



Calacatta Bronzo



Travertine Veincut Beige



Pulpis Grigio



Grigio Avio





Wall: Pulpis Grigio 120x240 Bocciardato
Floor: Pulpis Grigio 60x120, 120x120 Spazzolato
Furniture: Port Lorent Lappato Matt

TEXTURES: THE “CHIARO-SCURO” LIGHT EFFECTS

Combining in-depth material research, innovation, and great craftsmanship, Nexion has created three eye-catching **three-dimensional textures**: rigato, pettinato, and bocciardato.

The textures offer the same visual and tactile richness as the most prestigious varieties of marble when they undergo these craft techniques, which are the culmination of centuries of **constant, progressive honing**.

Examining them all in details, the rigato one is characterized by very close parallel lines, running along the surfaces, giving them a very suggestive tactile and visual appeal.

The pettinato texture reproduces a craftsmanship technique that gives a particular 3D effect to the surfaces, through the use of rigid bristle tools in the phases preceding the solidification of the material.




Finally, the bocciardato one reproduces the results of a manual bush hammered technique, much appreciated since ancient times, which gives the surfaces a characteristic slightly corrugated appearance, very similar to that of the natural material.

In all three cases, the result is the creation of up-to-the-minute ceramics that combine the high reflective power of Nexion marble with a textural approach to light that produces striking, **ever-changing visual effects**.

An extremely difficult result to achieve in ceramics and a material that fuses the eternal, timeless charm of marble with a **vibrant contemporary flavour**.



reddot winner 2020





reddot winner 2020

6 DESIGNS BOCCIARDATO

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario



Calacatta



Crema Europa



Pulpis Grigio



Frappuccino



Port Lorent



reddot winner 2020

6 DESIGNS PETTINATO

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario



Calacatta



Crema Europa



Pulpis Grigio



Frappuccino



Port Lorent





reddot winner 2020

6 DESIGNS RIGATO

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario



Calacatta



Crema Europa





Pulpis Grigio



Frappuccino



Port Lorent



Wall: Calacatta 120x240 Rigato



Wall: Calacatta Rigato 120x240
Floor: Terraelino Gesso 120x120

Marble Gallery

We select the best Italian creative minds to find the **finest inspirations to create a new range of refined sintered marbles that perfectly reinterpret natural and artificial materials**, with a stylistic accent that stands out for a sophisticated contemporary taste.

We have always worked on research and development of surfaces, trying to identify ourselves as much as possible with design approaches. This approach is the main road that allows us to create optimal aesthetic with superficial patterns & structures that allow our clients to perceive our product as natural, from a touch & feel perspective to its unparallel beauty.

Sintered Marble blends the design of natural marble with a mirror-like capability to reflect light. This material is an evolution of marble-effect ceramic, a new solution which achieves an almost perfect mirror-like reflection with no distortion or waves in the light reflection of any objects. We are one of the few company in the market to use the precious dry-granula to enhance our product's color nuances, details and wave-free visual impact.



Wall: Onice Aria Beige 120x240 Full Lappato - Calacatta Nero 120x240 Full Lappato
Floor: Onice Aria Beige 120x120 Full Lappato - Calacatta Nero 120x120 Full Lappato

STATUARIO FREDDO

Wall: Statuario Freddo 80x160 Lappato Matt
Floor: Statuario Freddo 120x120 Lappato Matt
Furniture Amani Bronze 120x40 Lappato Matt

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario Freddo Full Lappato



Statuario Freddo Lappato Matt



Statuario Freddo Naturale




Statuario Freddo Spazzolato



Statuario Freddo Lucido Opaco



Statuario Freddo Bocciardato



Statuario Freddo Pettinato




Statuario Freddo Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

MICHELANGELO



Wall: Michelangelo 120x240 Full Lappato - Amani Bronze 120x240 Full Lappato
Floor: Amani Bronze 120x240 Lappato Matt
Furniture: Amani Bronze 120x240 Lappato Matt

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness


Michelangelo Full Lappato



Michelangelo Lappato Matt



Michelangelo Naturale




Michelangelo Spazzolato



Michelangelo Lucido Opaco



Michelangelo Bocciardato



Michelangelo Pettinato




Michelangelo Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

STATUARIO



Floor: Statuario 120x240 Full Lappato

7 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Statuario Full Lappato



Statuario Lappato Matt



Statuario Naturale



Statuario Spazzolato



Statuario Lucido Opaco



Statuario Bocciardato



Statuario Pettinato




Statuario Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato) surfaces available in 120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

CALACATTA



Wall: Port Lorent 120x240 Full Lappato - Calacatta 120x240 Full Lappato
Floor: Port Lorent 120x240 Full Lappato

7 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Calacatta Full Lappato



Calacatta Lappato Matt



Calacatta Naturale



Calacatta Spazzolato



Calacatta Lucido Opaco



Calacatta Bocciardato



Calacatta Pettinato




Calacatta Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato) surfaces available in 120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

BIANCO LASA



Wall: Emperador Grigio 120x240 Full Lappato
Floor: Bianco Lasa 120x120, 120x240 Full Lappato

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Bianco Lasa Full Lappato



Bianco Lasa Lappato Matt



Bianco Lasa Naturale




Bianco Lasa Spazzolato



Bianco Lasa Lucido Opaco



Bianco Lasa Bocciardato



Bianco Lasa Pettinato




Bianco Lasa Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

CALACATTA BRONZO



Wall: Calacatta Bronzo 120x240 Full Lappato, Terraelino Fango 120x240
Floor: Calacatta Bronzo 120x120 Full Lappato
Furniture: Terraelino Fango 120x240

4 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Calacatta Bronzo Full Lappato




Calacatta Bronzo Lappato Matt



Calacatta Bronzo Naturale




Calacatta Bronzo Spazzolato




Calacatta Bronzo Lucido Opaco



Calacatta Bronzo Bocciardato



Calacatta Bronzo Pettinato




Calacatta Bronzo Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

ONICE PERSIANO



Wall: Onice Persiano 120x120 Full Lappato
Floor: Onice Persiano 120x240 Full Lappato

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Onice Persiano Full Lappato



Onice Persiano Lappato Matt



Onice Persiano Naturale




Onice Persiano Spazzolato




Onice Persiano Lucido Opaco



Onice Persiano Bocciardato



Onice Persiano Pettinato




Onice Persiano Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

CREMA EUROPA



Wall: Crema Europa Rigato 120x240, Frappuccino Rigato 120x240
Floor: Crema Europa Bocciardato 120x120

6 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Crema Europa Full Lappato



Crema Europa Lappato Matt



Crema Europa Naturale



Crema Europa Bocciardato



Crema Europa Pettinato



Crema Europa Rigato



Crema Europa Spazzolato




Crema Europa Lucido Opaco



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato) surfaces available in 120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

BOTTICINO



Wall: Botticino 60x120 Full Lappato
Floor: Botticino 120x120 Full Lappato

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Botticino Full Lappato



Botticino Lappato Matt



Botticino Naturale




Botticino Spazzolato



Botticino Lucido Opaco



Botticino Bocciardato



Botticino Pettinato




Botticino Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

TRAVERTINE VEINCUT BEIGE



Wall: Travertine Veincut Beige 120x240 Full Lappato
Floor: Travertine Veincut Beige 60x120 Lappato Matt

COLLECTIONS | TRAVERTINE VEINCUT BEIGE

5 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Travertine Veincut Beige Full Lappato



Travertine Veincut Beige Lappato Matt



Travertine Veincut Beige Naturale




Travertine Veincut Beige Spazzolato



Travertine Veincut Beige Lucido Opaco



Travertine Veincut Beige Bocciardato



Travertine Veincut Beige Pettinato




Travertine Veincut Beige Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Lucido Opaco surface available in
120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

BRECCIA AURORA



Wall: Breccia Aurora 120x120 Full Lappato - Endless Avorio 120x240
Floor: Endless Avorio 120x120
Furniture: Endless Avorio 120x240

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Breccia Aurora Full Lappato



Breccia Aurora Lappato Matt



Breccia Aurora Naturale




Breccia Aurora Spazzolato




Breccia Aurora Lucido Opaco



Breccia Aurora Bocciardato



Breccia Aurora Pettinato




Breccia Aurora Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

CORINTHIAN BEIGE



3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Corinthian Beige Full Lappato



Corinthian Beige Lappato Matt



Corinthian Beige Naturale




Corinthian Beige Spazzolato




Corinthian Beige Lucido Opaco



Corinthian Beige Bocciardato



Corinthian Beige Pettinato




Corinthian Beige Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

AMANI BRONZE



Wall: Amani Bronze 120x240 Full Lappato
Floor: Amani Bronze 120x120 Naturale

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Amani Bronze Full Lappato



Amani Bronze Lappato Matt



Amani Bronze Naturale




Amani Bronze Spazzolato




Amani Bronze Lucido Opaco



Amani Bronze Bocciardato



Amani Bronze Pettinato




Amani Bronze Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

TRAVERTINE VEINCUT SILVER GREY



Wall: Travertine Veincut Silver Grey 60x120 Full Lappato

COLLECTIONS | TRAVERTINE VEINCUT SILVER GREY

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Travertine Veincut Silver Grey Full Lappato



Travertine Veincut Silver Grey Lappato Matt



Travertine Veincut Silver Grey Naturale




Travertine Veincut Silver Grey Spazzolato




Travertine Veincut Silver Grey Lucido Opaco



Travertine Veincut Silver Grey Bocciardato



Travertine Veincut Silver Grey Pettinato



Travertine Veincut Silver Grey Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

ONICE ARIA BEIGE



Wall: Onice Aria Beige 120x240 Lappato Matt - Calacatta Nero 120x240 Lappato Matt
Floor: Onice Aria Beige 120x120 Lappato Matt - Calacatta Nero 120x120 Lappato Matt

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Onice Aria Beige Full Lappato



Onice Aria Beige Lappato Matt



Onice Aria Beige Naturale




Onice Aria Beige Spazzolato




Onice Aria Beige Lucido Opaco



Onice Aria Beige Bocciardato



Onice Aria Beige Pettinato




Onice Aria Beige Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

EMPERADOR GRIGIO

Wall: Onice Persiano 80x160 Full Lappato
Floor: Emperador Grigio 80x160 Full Lappato

COLLECTIONS | EMPERADOR GRIGIO

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Emperador Grigio Full Lappato



Emperador Grigio Lappato Matt



Emperador Grigio Naturale




Emperador Grigio Spazzolato



Emperador Grigio Lucido Opaco



Emperador Grigio Bocciardato



Emperador Grigio Pettinato




Emperador Grigio Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

PULPIS GRIGIO

Wall: Pulpis Grigio 60x120 Full Lappato
Floor: Pulpis Grigio 120x120 Full Lappato

8 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Pulpis Grigio Full Lappato



Pulpis Grigio Lappato Matt



Pulpis Grigio Naturale



Pulpis Grigio Spazzolato



Pulpis Grigio Lucido Opaco



Pulpis Grigio Bocciardato



Pulpis Grigio Pettinato



Pulpis Grigio Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato)
& Lucido Opaco surfaces available in
120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

GRIGIO AVIO



Wall: Grigio Avio 120x240 Lappato Matt - Onice Aria Beige 120x240 Full Lappato
Floor: Terralino Calce 120x120

4 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Grigio Avio Full Lappato



Grigio Avio Lappato Matt



Grigio Avio Naturale




Grigio Avio Spazzolato



Grigio Avio Lucido Opaco



Grigio Avio Bocciardato



Grigio Avio Pettinato




Grigio Avio Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

FRAPPUCCINO



Wall: Crema Europa 120x240 Full Lappato - Frappuccino 60x120 Full Lappato
Floor: Frappuccino 120x120 Full Lappato

6 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Frappuccino Full Lappato



Frappuccino Lappato Matt



Frappuccino Naturale



Frappuccino Bocciardato



Frappuccino Pettinato



Frappuccino Rigato



Frappuccino Spazzolato




Frappuccino Lucido Opaco



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato) surfaces available in 120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

ONICE NERO



Floor: Signature Onice Nero 120x240 Lappato Matt
Furniture: Terraellino calce 120x240

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Onice Nero Full Lappato



Onice Nero Lappato Matt



Onice Nero Naturale




Onice Nero Spazzolato




Onice Nero Lucido Opaco



Onice Nero Bocciardato



Onice Nero Pettinato




Onice Nero Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm




Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

PORT LORENT



Wall: Statuario 120x240 Pettinato
Floor: Port Lorent 120x240 Full Lappato


6 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Port Lorent Full Lappato



Port Lorent Lappato Matt



Port Lorent Naturale




Port Lorent Bocciardato



Port Lorent Pettinato



Port Lorent Rigato



Port Lorent Spazzolato




Port Lorent Lucido Opaco



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

3D textures (Bocciardato, Pettinato, Rigato) surfaces available in 120x240 cm & 60x120 cm.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

CALACATTA NERO



Wall: Calacatta Nero 120x240 Lappato Matt - Travertine Veincut Silver Grey 120x240 Full Lappato
Floor: Calacatta Nero 120x240 Lappato Matt
Furniture: Travertine Veincut Silver Grey 120x240 Full Lappato

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Calacatta Nero Full Lappato



Calacatta Nero Lappato Matt



Calacatta Nero Naturale




Calacatta Nero Spazzolato




Calacatta Nero Lucido Opaco



Black Calacatta Bocciardato



Calacatta Nero Pettinato




Calacatta Nero Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

ANTIQUÉ BLACK



Wall: Antique Black 120x240 Lappato Matt
Floor: Antique Black 120x120 Lappato Matt

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Antique Black Full Lappato



Antique Black Lappato Matt



Antique Black Naturale



Antique Black Spazzolato




Antique Black Lucido Opaco



Antique Black Bocciardato



Antique Black Pettinato




Antique Black Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

QUARZO VERDE AQUA



Wall: Quarzo Verde Aqua 120x240 Full Lappato
Floor: Travertine Veincut Silver Grey 120x240 Lappato Matt

COLLECTIONS | QUARZO VERDE AQUA

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Quarzo Verde Aqua Full Lappato



Quarzo Verde Aqua Lappato Matt



Quarzo Verde Aqua Naturale




Quarzo Verde Aqua Spazzolato




Quarzo Verde Aqua Lucido Opaco



Quarzo Verde Aqua Bocciardato



Quarzo Verde Aqua Pettinato




Quarzo Verde Aqua Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

IRISH GREEN



Wall: Irish Green 120x240 Full Lappato - Antique Black 120x240 Lappato Matt
Floor: Botticino 120x120 Lappato Matt

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Irish Green Full Lappato



Irish Green Lappato Matt



Irish Green Naturale



Irish Green Spazzolato



Irish Green Lucido Opaco



Irish Green Bocciardato



Irish Green Pettinato




Irish Green Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

ROSSO LEVANTO



Wall: Rosso Levanto 120x240 Full Lappato, Lappato Matt
Floor: Endless Bianco 120x120

3 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Rosso Levanto Full Lappato



Rosso Levanto Lappato Matt



Rosso Levanto Naturale



Rosso Levanto Spazzolato



Rosso Levanto Lucido Opaco



Rosso Levanto Bocciardato



Rosso Levanto Pettinato




Rosso Levanto Rigato



4 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Naturale R10 surface available in 60x120 cm.
R9, R11 & R12 surfaces available on request.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

PRODUCT CODES |

			FULL LAPPATO	LAPPATO MATT	NATURALE R9	NATURALE R10	NATURALE R11	NATURALE R12	LUCIDO OPACO	SPAZZOLATO	BOCCIARDATO	PETTINATO	RIGATO	
	Statuario Freddo	120x240 cm	F14LPTA1LRO	F14LPTA1YRO	F14LPTA1MRO	F14LPTA1NRO	F14LPTA1ZRO	F14LPTA1VRO	-	-	-	-	-	
		80x160 cm	F86LPTA1LRO	F86LPTA1YRO	F86LPTA1MRO	F86LPTA1NRO	F86LPTA1ZRO	F86LPTA1VRO	-	-	-	-	-	-
		120x120 cm	F12LPTA1LRO	F12LPTA1YRO	F12LPTA1MRO	F12LPTA1NRO	F12LPTA1ZRO	F12LPTA1VRO	-	-	-	-	-	-
		60x120 cm	F62LPTA1LRO	F62LPTA1YRO	F62LPTA1MRO	F62LPTA1NRO	F62LPTA1ZRO	F62LPTA1VRO	-	-	-	-	-	-
	Michelangelo	120x240 cm	F14LPTA0LRO	F14LPTA0YRO	F14LPTA0MRO	F14LPTA0NRO	F14LPTA0ZRO	F14LPTA0VRO	-	-	-	-	-	
		80x160 cm	F86LPTA0LRO	F86LPTA0YRO	F86LPTA0MRO	F86LPTA0NRO	F86LPTA0ZRO	F86LPTA0VRO	-	-	-	-	-	
		120x120 cm	F12LPTA0LRO	F12LPTA0YRO	F12LPTA0MRO	F12LPTA0NRO	F12LPTA0ZRO	F12LPTA0VRO	-	-	-	-	-	
		60x120 cm	F62LPTA0LRO	F62LPTA0YRO	F62LPTA0MRO	F62LPTA0NRO	F62LPTA0ZRO	F62LPTA0VRO	-	-	-	-	-	
	Statuario	120x240 cm	F14APNA0LRO	F14APNA0YRO	F14APNA0MRO	F14APNA0NRO	F14APNA0ZRO	F14APNA0VRO	-	F14APNA0WRO	F14TEXA0BRO	F14TEXA0TRO	F14TEXA0RRO	
		80x160 cm	F86APLA0LRO	F86APLA0YRO	F86APNA0MRO	F86APNA0NRO	F86APNA0ZRO	F86APNA0VRO	-	F86APNA0WRO	F86TEWA0BRO	F86TEXA0TRO	F86TEXA0RRO	
		120x120 cm	F12APLA0LRO	F12APLA0YRO	F12APNA0MRO	F12APNA0NRO	F12APNA0ZRO	F12APNA0VRO	-	F12APNA0WRO	F12TEXA0BRO	F12TEXA0TRO	F12TEXA0RRO	
		60x120 cm	F62APNA0LRO	F62APNA0YRO	F62APNA0MRO	F62APNA0NRO	F62APNA0ZRO	F62APNA0VRO	-	F62APNA0WRO	F62TEXA0BRO	F62TEXA0TRO	F62TEXA0RRO	
	Calacatta	120x240 cm	F14KARA0LRO	F14KARA0YRO	F14KARA0MRO	F14KARA0NRO	F14KARA0ZRO	F14KARA0VRO	-	F14KARA0WRO	F14TEXA1BRO	F14TEXA1TRO	F14TEXA1RRO	
		80x160 cm	F86KASA0LRO	F86KASA0YRO	F86KARA0MRO	F86KARA0NRO	F86KARA0ZRO	F86KARA0VRO	-	F86KARA0WRO	F86TEWA1BRO	F86TEWA1TRO	F86TEWA1RRO	
		120x120 cm	F12KASA0LRO	F12KASA0YRO	F12KARA0MRO	F12KARA0NRO	F12KARA0ZRO	F12KARA0VRO	-	F12KARA0WRO	F12TEWA1BRO	F12TEWA1TRO	F12TEWA1RRO	
		60x120 cm	F62KARA0LRO	F62KARA0YRO	F62KARA0MRO	F62KARA0NRO	F62KARA0ZRO	F62KARA0VRO	-	F62KARA0WRO	F62TEXA1BRO	F62TEXA1TRO	F62TEXA1RRO	
	Bianco Lasa	120x240 cm	F14PMPA0LRO	F14PMPA0YRO	F14PMPA0MRO	F14PMPA0NRO	F14PMPA0ZRO	F14PMPA0VRO	-	-	-	-	-	
		80x160 cm	F86PMNA0LRO	F86PMNA0YRO	F86PMPA0MRO	F86PMPA0NRO	F86PMPA0ZRO	F86PMPA0VRO	-	-	-	-	-	
		120x120 cm	F12PMNA0LRO	F12PMNA0YRO	F12PMPA0MRO	F12PMPA0NRO	F12PMPA0ZRO	F12PMPA0VRO	-	-	-	-	-	
		60x120 cm	F62PMPA0LRO	F62PMPA0YRO	F62PMPA0MRO	F62PMPA0NRO	F62PMPA0ZRO	F62PMPA0VRO	-	-	-	-	-	
	Calacatta Bronzo	120x240 cm	F14ACDA0LRO	F14ACDA0YRO	F14ACDA0MRO	F14ACDA0NRO	F14ACDA0ZRO	F14ACDA0VRO	-	F14ACDA0WRO	-	-	-	
		80x160 cm	F86ACDA0LRO	F86ACDA0YRO	F86ACDA0MRO	F86ACDA0NRO	F86ACDA0ZRO	F86ACDA0VRO	-	F86ACDA0WRO	-	-	-	
		120x120 cm	F12ACDA0LRO	F12ACDA0YRO	F12ACDA0MRO	F12ACDA0NRO	F12ACDA0ZRO	F12ACDA0VRO	-	F12ACDA0WRO	-	-	-	
		60x120 cm	F62ACDA0LRO	F62ACDA0YRO	F62ACDA0MRO	F62ACDA0NRO	F62ACDA0ZRO	F62ACDA0VRO	-	F62ACDA0WRO	-	-	-	
	Onice Persiano	120x240 cm	F14PMPE0LRO	F14PMPE0YRO	F14PMPE0MRO	F14PMPE0NRO	F14PMPE0ZRO	F14PMPE0VRO	-	-	-	-	-	
		80x160 cm	F86PMNE0LRO	F86PMNE0YRO	F86PMPE0MRO	F86PMPE0NRO	F86PMPE0ZRO	F86PMPE0VRO	-	-	-	-	-	
		120x120 cm	F12PMNE0LRO	F12PMNE0YRO	F12PMPE0MRO	F12PMPE0NRO	F12PMPE0ZRO	F12PMPE0VRO	-	-	-	-	-	
		60x120 cm	F62PMPE0LRO	F62PMPE0YRO	F62PMPE0MRO	F62PMPE0NRO	F62PMPE0ZRO	F62PMPE0VRO	-	-	-	-	-	
	Crema Europa	120x240 cm	F14KARB0LRO	F14KARB0YRO	F14KARB0MRO	F14KARB0NRO	F14KARB0ZRO	F14KARB0VRO	-	-	F14TEXB0BRO	F14TEXB0TRO	F14TEXB0RRO	
		80x160 cm	F86KASB0LRO	F86KASB0YRO	F86KARB0MRO	F86KARB0NRO	F86KARB0ZRO	F86KARB0VRO	-	-	F86TEXB0BRO	F86TEWB0TRO	F86TEWB0RRO	
		120x120 cm	F12KASB0LRO	F12KASB0YRO	F12KARB0MRO	F12KARB0NRO	F12KARB0ZRO	F12KARB0VRO	-	-	F12TEXB0BRO	F12TEXB0TRO	F12TEXB0RRO	
		60x120 cm	F62KARB0LRO	F62KARB0YRO	F62KARB0MRO	F62KARB0NRO	F62KARB0ZRO	F62KARB0VRO	-	-	F62TEXB0BRO	F62TEXB0TRO	F62TEXB0RRO	
	Botticino	120x240 cm	F14APNB0LRO	F14APNB0YRO	F14APNB0MRO	F14APNB0NRO	F14APNB0ZRO	F14APNB0VRO	-	-	-	-	-	
		80x160 cm	F86APLB0LRO	F86APLB0YRO	F86APNB0MRO	F86APNB0NRO	F86APNB0ZRO	F86APNB0VRO	-	-	-	-	-	
		120x120 cm	F12APLB0LRO	F12APLB0YRO	F12APNB0MRO	F12APNB0NRO	F12APNB0ZRO	F12APNB0VRO	-	-	-	-	-	
		60x120 cm	F62APNB0LRO	F62APNB0YRO	F62APNB0MRO	F62APNB0NRO	F62APNB0ZRO	F62APNB0VRO	-	-	-	-	-	

PRODUCT CODES |

			FULL LAPPATO	LAPPATO MATT	NATURALE R9	NATURALE R10	NATURALE R11	NATURALE R12	LUCIDO OPACO	SPAZZOLATO	BOCCIARDATO	PETTINATO	RIGATO
	Travertine Veincut Beige	120x240 cm	F14TRTB0LRO	F14TRTB0YRO	F14TRTB0MRO	F14TRTB0NRO	F14TRTB0ZRO	F14TRTB0VRO	F14TRTB0ORO	F14TRTB0WRO	-	-	-
		80x160 cm	F86TRTB0LRO	F86TRTB0YRO	F86TRSB0MRO	F86TRSB0NRO	F86TRSB0ZRO	F86TRSB0VRO	F86TRSB0ORO	F86TRSB0WRO	-	-	-
		120x120 cm	F12TRTB0LRO	F12TRTB0YRO	F12TRSB0MRO	F12TRSB0NRO	F12TRSB0ZRO	F12TRSB0VRO	F12TRSB0ORO	F12TRSB0WRO	-	-	-
		60x120 cm	F62TRTB0LRO	F62TRTB0YRO	F62TRTB0MRO	F62TRTB0NRO	F62TRTB0ZRO	F62TRTB0VRO	F62TRTB0ORO	F62TRTB0WRO	-	-	-
	Breccia Aurora	120x240 cm	F14LPTB0LRO	F14LPTB0YRO	F14LPTB0MRO	F14LPTB0NRO	F14LPTB0ZRO	F14LPTB0VRO	-	-	-	-	-
		80x160 cm	F86LPTB0LRO	F86LPTB0YRO	F86LPTB0MRO	F86LPTB0NRO	F86LPSB0ZRO	F86LPSB0VRO	-	-	-	-	-
		120x120 cm	F12LPTB0LRO	F12LPTB0YRO	F12LPTB0MRO	F12LPTB0NRO	F12LPSB0ZRO	F12LPSB0VRO	-	-	-	-	-
		60x120 cm	F62LPTB0LRO	F62LPTB0YRO	F62LPTB0MRO	F62LPTB0NRO	F62LPTB0ZRO	F62LPTB0VRO	-	-	-	-	-
	Corinthian Beige	120x240 cm	F14APNB1LRO	F14APNB1YRO	F14APNB1MRO	F14APNB1NRO	F14APNB1ZRO	F14APNB1VRO	-	-	-	-	-
		80x160 cm	F86APLB1LRO	F86APLB1YRO	F86APNB1MRO	F86APNB1NRO	F86APNB1ZRO	F86APNB1VRO	-	-	-	-	-
		120x120 cm	F12APLB1LRO	F12APLB1YRO	F12APNB1MRO	F12APNB1NRO	F12APNB1ZRO	F12APNB1VRO	-	-	-	-	-
		60x120 cm	F62APNB1LRO	F62APNB1YRO	F62APNB1MRO	F62APNB1NRO	F62APNB1ZRO	F62APNB1VRO	-	-	-	-	-
	Amani Bronze	120x240 cm	F14LPTF0LRO	F14LPTF0YRO	F14LPTF0MRO	F14LPTF0NRO	F14LPTF0ZRO	F14LPTF0VRO	-	-	-	-	-
		80x160 cm	F86LPTF0LRO	F86LPTF0YRO	F86LPTF0MRO	F86LPTF0NRO	F86LPSF0ZRO	F86LPSF0VRO	-	-	-	-	-
		120x120 cm	F12LPTF0LRO	F12LPTF0YRO	F12LPTF0MRO	F12LPTF0NRO	F12LPSF0ZRO	F12LPSF0VRO	-	-	-	-	-
		60x120 cm	F62LPTF0LRO	F62LPTF0YRO	F62LPTF0MRO	F62LPTF0NRO	F62LPTF0ZRO	F62LPTF0VRO	-	-	-	-	-
	Travertine Veincut Silver Grey	120x240 cm	F14TRTG0LRO	F14TRTG0YRO	F14TRTG0MRO	F14TRTG0NRO	F14TRTG0ZRO	F14TRTG0VRO	-	-	-	-	-
		80x160 cm	F86TRTG0LRO	F86TRTG0YRO	F86TRTG0MRO	F86TRTG0NRO	F86TRTG0ZRO	F86TRTG0VRO	-	-	-	-	-
		120x120 cm	F12TRTG0LRO	F12TRTG0YRO	F12TRTG0MRO	F12TRTG0NRO	F12TRTG0ZRO	F12TRTG0VRO	-	-	-	-	-
		60x120 cm	F62TRTG0LRO	F62TRTG0YRO	F62TRTG0MRO	F62TRTG0NRO	F62TRTG0ZRO	F62TRTG0VRO	-	-	-	-	-
	Onice Aria Beige	120x240 cm	F14ACDB0LRO	F14ACDB0YRO	F14ACDB0MRO	F14ACDB0NRO	F14ACDB0ZRO	F14ACDB0VRO	-	-	-	-	-
		80x160 cm	F86ACDB0LRO	F86ACDB0YRO	F86ACDB0MRO	F86ACDB0NRO	F86ACDB0ZRO	F86ACDB0VRO	-	-	-	-	-
		120x120 cm	F12ACDB0LRO	F12ACDB0YRO	F12ACDB0MRO	F12ACDB0NRO	F12ACDB0ZRO	F12ACDB0VRO	-	-	-	-	-
		60x120 cm	F62ACDB0LRO	F62ACDB0YRO	F62ACDB0MRO	F62ACDB0NRO	F62ACDB0ZRO	F62ACDB0VRO	-	-	-	-	-
	Emperador Grigio	120x240 cm	F14PMPG1LRO	F14PMPG1YRO	F14PMPG1MRO	F14PMPG1NRO	F14PMPG1ZRO	F14PMPG1VRO	-	-	-	-	-
		80x160 cm	F86PMNG1LRO	F86PMNG1YRO	F86PMPG1MRO	F86PMPG1NRO	F86PMPG1ZRO	F86PMPG1VRO	-	-	-	-	-
		120x120 cm	F12PMNG1LRO	F12PMNG1YRO	F12PMPG1MRO	F12PMPG1NRO	F12PMPG1ZRO	F12PMPG1VRO	-	-	-	-	-
		60x120 cm	F62PMPG1LRO	F62PMPG1YRO	F62PMPG1MRO	F62PMPG1NRO	F62PMPG1ZRO	F62PMPG1VRO	-	-	-	-	-
	Pulpis Grigio	120x240 cm	F14PMPG0LRO	F14PMPG0YRO	F14PMPG0MRO	F14PMPG0NRO	F14PMPG0ZRO	F14PMPG0VRO	F14PMPG0ORO	F14PMPG0WRO	F14TEXG0BRO	F14TEXG0TRO	F14TEXG0RRO
		80x160 cm	F86PMNG0LRO	F86PMNG0YRO	F86PMPG0MRO	F86PMPG0NRO	F86PMPG0ZRO	F86PMPG0VRO	F86PMPG0ORO	F86PMPG0WRO	F86TEXG0BRO	F86TEXG0TRO	F86TEXG0RRO
		120x120 cm	F12PMNG0LRO	F12PMNG0YRO	F12PMPG0MRO	F12PMPG0NRO	F12PMPG0ZRO	F12PMPG0VRO	F12PMNG0ORO	F12PMPG0WRO	F12TEXG0BRO	F12TEXG0TRO	F12TEXG0RRO
		60x120 cm	F62PMPG0LRO	F62PMPG0YRO	F62PMPG0MRO	F62PMPG0NRO	F62PMPG0ZRO	F62PMPG0VRO	F62PMPG0ORO	F62PMPG0WRO	F62TEXG0BRO	F62TEXG0TRO	F62TEXG0RRO
	Grigio Avio	120x240 cm	F14ACDG0LRO	F14ACDG0YRO	F14ACDG0MRO	F14ACDG0NRO	F14ACDG0ZRO	F14ACDG0VRO	-	F14ACDG0WRO	-	-	-
		80x160 cm	F86ACDG0LRO	F86ACDG0YRO	F86ACDG0MRO	F86ACDG0NRO	F86ACDG0ZRO	F86ACDG0VRO	-	F86ACDG0WRO	-	-	-
		120x120 cm	F12ACDG0LRO	F12ACDG0YRO	F12ACDG0MRO	F12ACDG0NRO	F12ACDG0ZRO	F12ACDG0VRO	-	F12ACDG0WRO	-	-	-
		60x120 cm	F62ACDG0LRO	F62ACDG0YRO	F62ACDG0MRO	F62ACDG0NRO	F62ACDG0ZRO	F62ACDG0VRO	-	F62ACDG0WRO	-	-	-

PRODUCT CODES |

			FULL LAPPATO	LAPPATO MATT	NATURALE R9	NATURALE R10	NATURALE R11	NATURALE R12	LUCIDO OPACO	SPAZZOLATO	BOCCIARDATO	PETTINATO	RIGATO
	Frappuccino	120x240 cm	F14KARFOLRO	F14KARFOYRO	F14KARFOMRO	F14KARFONRO	F14KARFOZRO	F14KARFOVRO	-	-	F14TEXF0BRO	F14TEXF0TRO	F14TEXF0RRO
		80x160 cm	F86KASFOLRO	F86KASFOYRO	F86KARFOMRO	F86KARFONRO	F86KARFOZRO	F86KARFOVRO	-	-	F86TEWFOBRO	F86TEWFOTRO	F86TEWFORRO
		120x120 cm	F12KASFOLRO	F12KASFOYRO	F12KARFOMRO	F12KARFONRO	F12KARFOZRO	F12KARFOVRO	-	-	F12TEWFOBRO	F12TEWFOTRO	F12TEWFORRO
		60x120 cm	F62KARFOYRO	F62KARFOLRO	F62KARFOMRO	F62KARFONRO	F62KARFOZRO	F62KARFOVRO	-	-	F62TEXF0BRO	F62TEXF0TRO	F62TEXF0RRO
	Onice Nero	120x240 cm	F14SGNKOLRO	F14SGNKOYRO	F14SGNKOMRO	F14SGNKONRO	F14SGNKOZRO	F14SGNKOVRO	-	-	-	-	-
		80x160 cm	F86SGNKOLRO	F86SGNKOYRO	F86SGNKOMRO	F86SGNKONRO	F86SGNKOZRO	F86SGNKOVRO	-	-	-	-	-
		120x120 cm	F12SGNKOLRO	F12SGNKOYRO	F12SGNKOMRO	F12SGNKONRO	F12SGNKOZRO	F12SGNKOVRO	-	-	-	-	-
		60x120 cm	F62SGNKOLRO	F62SGNKOYRO	F62SGNKOMRO	F62SGNKONRO	F62SGNKOZRO	F62SGNKOVRO	-	-	-	-	-
	Port Lorent	120x240 cm	F14KARKOLRO	F14KARKOYRO	F14KARKOMRO	F14KARKONRO	F14KARKOZRO	F14KARKOVRO	-	-	F14TEWK0BRO	F14TEWK0TRO	F14TEWK0RRO
		80x160 cm	F86KASKOLRO	F86KASKOYRO	F86KARKOMRO	F86KARKONRO	F86KARKOZRO	F86KARKOVRO	-	-	F86TEWK0BRO	F86TEWK0TRO	F86TEWK0RRO
		120x120 cm	F12KASKOLRO	F12KASKOYRO	F12KARKOMRO	F12KARKONRO	F12KARKOZRO	F12KARKOVRO	-	-	F12TEWK0BRO	F12TEWK0TRO	F12TEWK0RRO
		60x120 cm	F62KARKOLRO	F62KARKOYRO	F62KARKOMRO	F62KARKONRO	F62KARKOZRO	F62KARKOVRO	-	-	F62TEWK0BRO	F62TEWK0TRO	F62TEWK0RRO
	Calacatta Nero	120x240 cm	F14ACDKOLRO	F14ACDKOYRO	F14ACDKOMRO	F14ACDKONRO	F14ACDKOZRO	F14ACDKOVRO	-	-	-	-	-
		80x160 cm	F86ACDKOLRO	F86ACDKOYRO	F86ACDKOMRO	F86ACDKONRO	F86ACDKOZRO	F86ACDKOVRO	-	-	-	-	-
		120x120 cm	F12ACDKOLRO	F12ACDKOYRO	F12ACDKOMRO	F12ACDKONRO	F12ACDKOZRO	F12ACDKOVRO	-	-	-	-	-
		60x120 cm	F62ACDKOLRO	F62ACDKOYRO	F62ACDKOMRO	F62ACDKONRO	F62ACDKOZRO	F62ACDKOVRO	-	-	-	-	-
	Antique Black	120x240 cm	F14APNKOLRO	F14APNKOYRO	F14APNKOMRO	F14APNKONRO	F14APNKOZRO	F14APNKOVRO	-	-	-	-	-
		80x160 cm	F86APLKOLRO	F86APLKOYRO	F86APNKOMRO	F86APNKONRO	F86APNKOZRO	F86APNKOVRO	-	-	-	-	-
		120x120 cm	F12APLKOLRO	F12APLKOYRO	F12APNKOMRO	F12APNKONRO	F12APNKOZRO	F12APNKOVRO	-	-	-	-	-
		60x120 cm	F62APNKOLRO	F62APNKOYRO	F62APNKOMRO	F62APNKONRO	F62APNKOZRO	F62APNKOVRO	-	-	-	-	-
	Quarzo Verde Aqua	120x240 cm	F14SGNL0LRO	F14SGNLOYRO	F14SGNLOMRO	F14SGNLONRO	F14SGNLOZRO	F14SGNLOVRO	-	-	-	-	-
		80x160 cm	F86SGNL0LRO	F86SGNLOYRO	F86SGNLOMRO	F86SGNLONRO	F86SGNLOZRO	F86SGNLOVRO	-	-	-	-	-
		120x120 cm	F12SGNL0LRO	F12SGNLOYRO	F12SGNLOMRO	F12SGNLONRO	F12SGNLOZRO	F12SGNLOVRO	-	-	-	-	-
		60x120 cm	F62SGNL0LRO	F62SGNLOYRO	F62SGNLOMRO	F62SGNLONRO	F62SGNLOZRO	F62SGNLOVRO	-	-	-	-	-
	Irish Green	120x240 cm	F14SGNE0LRO	F14SGNEOYRO	F14SGNE0MRO	F14SGNE0NRO	F14SGNE0ZRO	F14SGNE0VRO	-	-	-	-	-
		80x160 cm	F86SGNE0LRO	F86SGNEOYRO	F86SGME0MRO	F86SGME0NRO	F86SGME0ZRO	F86SGME0VRO	-	-	-	-	-
		120x120 cm	F12SGNE0LRO	F12SGNEOYRO	F12SGME0MRO	F12SGME0NRO	F12SGME0ZRO	F12SGME0VRO	-	-	-	-	-
		60x120 cm	F62SGNE0LRO	F62SGNEOYRO	F62SGNE0MRO	F62SGNE0NRO	F62SGNE0ZRO	F62SGNE0VRO	-	-	-	-	-
	Rosso Levanto	120x240 cm	F14SGNC0LRO	F14SGNC0YRO	F14SGNC0MRO	F14SGNC0NRO	F14SGNC0ZRO	F14SGNC0VRO	-	-	-	-	-
		80x160 cm	F86SGNC0LRO	F86SGNC0YRO	F86SGMC0MRO	F86SGMC0NRO	F86SGMC0ZRO	F86SGMC0VRO	-	-	-	-	-
		120x120 cm	F12SGNC0LRO	F12SGNC0YRO	F12SGMC0MRO	F12SGMC0NRO	F12SGMC0ZRO	F12SGMC0VRO	-	-	-	-	-
		60x120 cm	F62SGNC0LRO	F62SGNC0YRO	F62SGNC0MRO	F62SGNC0NRO	F62SGNC0ZRO	F62SGNC0VRO	-	-	-	-	-

ARTIFICIAL LOOKS AND SURFACES

Concrete, Terracotta and Solid Colors: a wide range of high-tech ceramic materials originally envisioned to meet the most specific and stringent needs of contemporary design.


























Products distinguished by a strong architectural vocation, both in terms of style and technical and structural characteristics of surfaces, guaranteeing high standards performance even in the most challenging design contexts.



ARTIFICIAL LOOKS AND SURFACES |

OUR OFFER OF ARTIFICIAL LOOKS

Naturale

		R9	R10	R11	R12	
Endless		Nero	On request	●	On request	On request
		Grigio	On request	●	On request	On request
		Bianco	On request	●	On request	On request
		Taupe	On request	●	On request	On request
		Beige	On request	●	On request	On request
		Avorio	On request	●	On request	On request
		Argento	On request	●	On request	On request
Ambient		Grigio Chiaro	On request	●	On request	On request
		Grigio Medio	On request	●	On request	On request
		Grigio Scuro	On request	●	On request	On request
		Beige Chiaro	On request	●	On request	On request
		Beige Medio	On request	●	On request	On request
		Beige Scuro	On request	●	On request	On request
Terraelino		Gesso (Chalk White)	On request	●	On request	On request
		Calce (Limestone)	On request	●	On request	On request
		Sabbia (Sand)	On request	●	On request	On request
		Argilla (Grey Clay)	On request	●	On request	On request
		Fango (Brown Clay)	On request	●	On request	On request
		Pepe (Black Pepper)	On request	●	On request	On request
		Melograno (Pomegranate)	On request	●	On request	On request
		Menta (Mint Leaf)	On request	●	On request	On request
		Ginepro (Juniper Berry)	On request	●	On request	On request
Terracotta		Terracotta Chiaro	On request	●	On request	On request
		Terracotta Medio	On request	●	On request	On request
		Terracotta Scuro	On request	●	On request	On request

Endless

Endless collection inherits the expressive power of concrete, a material who wrote important pages in the history of architecture and plays a fundamental role in modern design thanks to the capability to radiate a strong tactile energy to every context surrounding it.

Seduced by the architectonic and stylistic potential of concrete, Nexion examined to the smallest the remarkable artifacts made by Italian craftsmen, characterized by the intense touch and feel of this matter. In its design lab, Nexion worked to give to large size slabs the delicate variations of tones that we find in the small, renown Italian cementine, creating the soft effect of an “endless” surface.

The result is a ceramic collection made unique by the shade variations, sharp patterns and a high tactile vocation, which transmits a timeless and contemporary personality to the surrounding space. A collection that brings the best of the inspiring Italian contemporary design to any type of ambience and location.



Wall: Nero 120x120
Floor: Nero 120x120

7 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Nero



Grigio



Bianco



Argento



Avorio



Beige



Taupe



1 SURFACE


Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



6 SIZES







120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm | 60x60 cm | 30x60 cm








*Naturale finish refers to R10.
R9, R11, R12 are available on request only.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

SIZE	CODE	Color/DESIGN
 120x240 cm	F14ENDKONRO F14ENDGONRO F14ENDAONRO F14ENDB1NRO F14ENDBONRO F14ENDB2NRO F14ENDFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe
 80x160 cm	F86ENEKONRO F86ENEGONRO F86ENEAONRO F86ENEB1NRO F86ENEBONRO F86ENEB2NRO F86ENEFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe
 120x120 cm	F12ENEKONRO F12ENEGONRO F12ENEAONRO F12ENEB1NRO F12ENEBONRO F12ENEB2NRO F12ENEFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe
 60x120 cm	F62ENDKONRO F62ENDGONRO F62ENDAONRO F62ENDB1NRO F62ENDBONRO F62ENDB2NRO F62ENDFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe
 60x60 cm	F60ENEKONRO F60ENEGONRO F60ENEAONRO F60ENEB1NRO F60ENEBONRO F60ENEB2NRO F60ENEFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe
 30x60 cm	F63ENDKONRO F63ENDGONRO F63ENDAONRO F63ENDB1NRO F63ENDBONRO F63ENDB2NRO F63ENDFONRO	Nero Grigio Bianco Aporio Beige Argento Taupe

Surface pattern options



Ambient

The Ambient collection offers a new ceramic interpretation of cement, a cornerstone of modern and contemporary architecture, a mix of engineering strength with expressive essentiality.

Our endless in-dept materials R&D, technical capability and craftsmanship has led to a new collection that reinterprets its original source in a minimalist way, mixing superior performance with aesthetic appeal.

The result are surfaces with excellent performance that, seen from distance, gives the impression of being solid color with a slight ripple while, looking closer, they are distinguished by a slight grit perceived by our hand.

A proposal originally designed for the most demanding architects, looking for the best of contemporary Italian inspirational design in every type of setting and location.



Wall: Ambient Beige Chiaro 120x240
Floor: Ambient Beige Scuro 120x120
Furniture: Ambient Beige Scuro

6 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Grigio Chiaro



Grigio Medio



Grigio Scuro



Beige Chiaro



Beige Medio



Beige Scuro



1 SURFACE


Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



6 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm | 60x60 cm | 30x60 cm









*Naturale finish refers to R10.
R9, R11, R12 are available on request only.







Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | AMBIENT

SIZE	CODE	Color/DESIGN
 120x240 cm	F14AMBGONRO F14AMBG1NRO F14AMBF1NRO F14AMBBONRO F14AMBB1NRO F14AMBF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro
 80x160 cm	F86AMBGONRO F86AMBG1NRO F86AMBF1NRO F86AMBBONRO F86AMBB1NRO F86AMBF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro
 120x120 cm	F12AMBGONRO F12AMBG1NRO F12AMBF1NRO F12AMBBONRO F12AMBB1NRO F12AMBF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro
 60x120 cm	F62AMBGONRO F62AMBG1NRO F62AMBF1NRO F62AMBBONRO F62AMBB1NRO F62AMBF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro
 60x60 cm	F60AMCGONRO F60AMCG1NRO F60AMCF1NRO F60AMCBONRO F60AMCB1NRO F60AMCF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro
 30x60 cm	F63AMBGONRO F63AMBG1NRO F63AMBF1NRO F63AMBBONRO F63AMBB1NRO F63AMBF2NRO	Ambient Grigio Chiaro Ambient Grigio Medio Ambient Grigio Scuro Ambient Beige Chiaro Ambient Beige Medio Ambient Beige Scuro

Surface pattern options



Terrælino

The Terrælino collection reinterprets concrete, the building material par excellence of modern and contemporary architecture, with a ceramic interpretation that strikes for its organic and natural accent, in the wake of research and aesthetic sensitivity with an unmistakably Italian flavor.

Combining raw materials of excellent quality, an accurate phase of study, and great technical mastery, we have reached a ceramic material that combines the dynamic strength of concrete with the ethereal lightness of an elegant fabric such as linen.

The result is high performing surfaces, in six variations of warm and cold grays and three trendy colors, all inspired by earth tones, which return the evocative image of a hand-made linen texture delicately imprinted on the concrete surface.

A refined proposal originally designed for the most demanding architects, looking for the best of contemporary Italian inspirational design in every type of setting and location.



Wall: Terrælino Gesso 120x240 - Terrælino Menta 120x240
Floor: Terrælino Pepe 120x120

9 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Gesso (Chalk White)



Calce (Limestone)



Sabbia (Sand)



Argilla (Grey Clay)



Fango (Brown Clay)



Pepe (Black Pepper)



Melograno (Pomegranate)



Menta (Mint Leaf)



Ginepro (Juniper Berry)



1 SURFACE


Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



6 SIZES

120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm | 60x60 cm | 30x60 cm









*Naturale finish refers to R10.
R9, R11, R12 are available on request only.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | TERRÆLINO

SIZE	CODE	Color/DESIGN
 <p>120x240 cm</p>	F14TRLAONRO F14TRLB1NRO F14TRLBONRO F14TRLGONRO F14TRLFONRO F14TRLKONRO F14TRLCONRO F14TRLEONRO F14TRLLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)
 <p>80x160 cm</p>	F86TRLAONRO F86TRLB1NRO F86TRLBONRO F86TRLGONRO F86TRLFONRO F86TRLKONRO F86TRLCONRO F86TRLEONRO F86TRLLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)
 <p>120x120 cm</p>	F12TRLAONRO F12TRLB1NRO F12TRLBONRO F12TRLGONRO F12TRLFONRO F12TRLKONRO F12TRLCONRO F12TRLEONRO F12TRLLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)
 <p>60x120 cm</p>	F62TRLAONRO F62TRLB1NRO F62TRLBONRO F62TRLGONRO F62TRLFONRO F62TRLKONRO F62TRLCONRO F62TRLEONRO F62TRLLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)
 <p>60x60 cm</p>	F60TRNAONRO F60TRNB1NRO F60TRNBONRO F60TRNGONRO F60TRNFONRO F60TRNKONRO F60TRNCONRO F60TRNEONRO F60TRNLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)
 <p>30x60 cm</p>	F63TRLAONRO F63TRLB1NRO F63TRLBONRO F63TRLGONRO F63TRLFONRO F63TRLKONRO F63TRLCONRO F63TRLEONRO F63TRLLONRO	Terræliino Gesso (Chalk White) Terræliino Calce (Limestone) Terræliino Sabbia (Sand) Terræliino Argilla (Grey Clay) Terræliino Fango (Brown Clay) Terræliino Pepe (Black Pepper) Terræliino Melograno (Pomegranate) Terræliino Menta (Mint Leaf) Terræliino Ginepro (Juniper Berry)




Wall: Terræliino Fango 120x240 - Terræliino Ginepro 120x240
 Floor: Terræliino Fango 120x120

Terracotta

The inspiration for the Terracotta collection is self-explanatory. The most ancient ceramic material, terracotta - with its characteristic reddish hue and porous consistency - has been used since the dawn of time, in all civilisations, and continues to find contemporary applications. An underlying theme that has accompanied the entire history of humanity, allowing the production of buildings, tools, sculptures, and other artistic creations.

Using its extensive knowledge of the raw material and its equal production mastery, Nexion has chosen a type of terracotta widely used in Italy for the construction of its world-renowned old towns, recreating the color tones and surface finishes down to the smallest details, with three appealing color options offering different levels of light.

The result is a collection that offers the unique personality of an archetypal material with a contemporary language and excellent technical qualities (strength and longevity), making it ideal for complex and challenging architectural projects. A collection that brings with it inspiration from the best of contemporary Italian design, in all settings and circumstances.



Wall: Terracotta Chiaro 60x120 - Terracotta Scuro 60x120
Floor: Pietra del Cardoso Grigio Medio 60x120

3 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Terracotta Chiaro



Terracotta Medio



Terracotta Scuro



1 SURFACE

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



1 SIZE

60x120 cm




60x120 cm


*Naturale finish refers to R10.
R9, R11, R12 are available on request only.


Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com



Wall: Terracotta Scuro 60x120

SIZE	CODE	Color/DESIGN
 60x120 cm	F62TERCONRO F62TERC1NRO F62TERC2NRO	Terracotta Chiaro Terracotta Medio Terracotta Scuro



Wall: Terracotta Medio 60x120

STONE AND WOOD LOOKS AND SURFACES


Stone Looks

Stone has always been one of the most appreciated natural elements used in architecture, due to its ability to combine engineering efficiency and design in perfect harmony with the environment. Nexion surface experts have carefully selected few of the most well-known stones to devise new ceramic materials specifically designed for contemporary use. These materials are authentic in style and superior in terms of resistance and durability.



Wood Looks

A careful rework and ceramic synthesis results in two different ways of interpreting and restoring the natural look of precious woods. On one hand “smooth” surfaces, on which knots, veins and other distinctive signs of wooden essences are interpreted looking smooth and soft to the eye, even before touching it. On the other hand, “structured” patterns give to the graphics an evocative tactile consistency. The result of both proposals is surfaces with technical and functional characteristics capable of ensuring the most advanced balancing point between natural style and technical-design performances.



STONE AND WOOD LOOKS AND SURFACES |

OUR OFFER OF STONE LOOKS & WOOD LOOKS

		Naturale				Matte Silk	Textured
		R9	R10	R11	R12	Matte Silk	LAPPATO IN CRESTA
Lithic		Roccia Portoghese				•	
		Vicenza Beige				•	
		Basalto Grigio				•	
		Gabbro Sfumato				•	
Pietra del Cardoso		Beige Chiaro		•	On request	On request	•
		Beige Medio		•	On request	On request	•
		Beige Scuro		•	On request	On request	•
		Grigio Chiaro		•	On request	On request	•
		Grigio Medio		•	On request	On request	•
		Grigio Scuro		•	On request	On request	•
Runa		Grigio Chiaro		•	On request	On request	
		Grigio Scuro		•	On request	On request	
		Beige		•	On request	On request	
		Nero		•	On request	On request	
Coniwood		Cedro Sbiancato		•			
		Pino		•			
		Abete		•			
		Larice		•			
		Larice Ossidato		•			
		Abete Tinto		•			
Essenze		Rovere Chiaro	•				
		Noce	•				
		Rovere Tortora	•				
		Eucalipto	•				

Lithic

Lithic revisits the innate beauty of the natural stone according to Nexion designer style which open the boundaries to new technical features with the revolutionary Matte-Silk finishing.

Four new aesthetics emulate the vivid and realistic shades of natural stone and harmonize the graphics of nature by representing it in sintered stone.

Brightness, texture and Matte-Silk:
world's finest materials are re-design and enhanced by an incomparable research and design process to give the material the right texture, touch and look; Nexion present a new revolution in matt surfaces: Matte-Silk, an unparallel soft touch surface without compromising on anti slippery and anti-reflective technical performance of sintered stone.

Lithic offers impeccable aesthetic solutions together with the highest technical qualities of Nexion sintered stone.



Wall: Gabbro Sfumato 120x240 Matte Silk
Floor: Gabbro Sfumato 120x120 Matte Silk

4 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Roccia Portoghese



Vicenza Beige



Basalto Grigio



Gabbro Sfumato



1 SURFACE


Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Matte Silk



6 SIZES







120x240 cm | 80x160 cm | 120x120 cm | 60x120 cm | 60x60 cm | 30x60 cm



Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | LITHIC

SIZE	CODE	Color/DESIGN
 <p>120x240 cm</p>	<p>F14LTCB1SRO F14LTCB0SRO F14LTCG0SRO F14LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>
 <p>80x160 cm</p>	<p>F86LTCB1SRO F86LTCB0SRO F86LTCG0SRO F86LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>
 <p>120x120 cm</p>	<p>F12LTCB1SRO F12LTCB0SRO F12LTCG0SRO F12LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>
 <p>60x120 cm</p>	<p>F62LTCB1SRO F62LTCB0SRO F62LTCG0SRO F62LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>
 <p>60x60 cm</p>	<p>F60LTCB1SRO F60LTCB0SRO F60LTCG0SRO F60LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>
 <p>30x60 cm</p>	<p>F63LTCB1SRO F63LTCB0SRO F63LTCG0SRO F63LTCK0SRO</p>	<p>Roccia Portoghese Vicenza Beige Basalto Grigio Gabbro Sfumato</p>



Wall: Lithic Basalto Grigio 120x240 Matte Silk
 Floor: Lithic Basalto Grigio 120x240 Matte Silk
 Furniture: Lithic Gabbro Sfumato 120x240 Matte Silk

Pietra del Cardoso

Pietra del Cardoso collection inherits the spirit of the homonymous Italian stone extracted from the mountains of Tuscany, home of most famous marble quarries in the world (Alpi Apuane).

A material appreciated for centuries due to its extraordinary longevity, resistance, style and functionality.

Nexion has accurately selected some of the most exclusive specimens conveying the essence of Cardoso into a new unique ceramic material, combining elegance with unrivalled technical qualities. Nexion has bring this stone to the next level, devising an extremely durable surface, highly resistant to chemicals, stains and abrasions which makes it particularly suitable for high traffic public spaces.

The result is an extremely wide and versatile offering, divided into six colors, one size, two surfaces finishes. A collection that bring the best inspiration of contemporary Italian design in every type of space and environment.



Wall & Furniture: Grigio Chiaro 60x120

6 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Beige Chiaro



Beige Medio



Beige Scuro



Grigio Chiaro



Grigio Medio



Grigio Scuro



2 SURFACES

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



Lappato in cresta



1 SIZE

60x120 cm




60x120 cm

*Naturale finish refers to R10.
R11, R12 are available on request only.

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | PIETRA DEL CARDOSO

SIZE	CODE	Color/DESIGN
 60x120 cm	F62PDCB0NRO	Beige Chiaro Naturale
	F62PDCB1NRO	Beige Medio Naturale
	F62PDCB2NRO	Beige Scuro Naturale
	F62PDCG0NRO	Grigio Chiaro Naturale
	F62PDCG1NRO	Grigio Medio Naturale
	F62PDCG2NRO	Grigio Scuro Naturale
	F62PDCB0PRO	Beige Chiaro Lappato in cresta
	F62PDCB1PRO	Beige Medio Lappato in cresta
	F62PDCB2PRO	Beige Scuro Lappato in cresta
	F62PDCG0PRO	Grigio Chiaro Lappato in cresta
F62PDCG1PRO	Grigio Medio Lappato in cresta	
F62PDCG2PRO	Grigio Scuro Lappato in cresta	



Floor: Beige Medio 60x120

Runa

Runa collection brings the essence of the noble and sophisticated character of the slates found in the countryside, villages and historical cities of Northern Europe. Stones that blend harmoniously with the elements of nature in a very contemporary style.

Though these stones are common in Europe, finding the nicest one is not easy.

Nexion has worked to recreate the taste of those suggestive slates that blend naturally in the architectural works of contemporary urban contexts. By the perfection of design and the hands of skilled craftsmen, Nexion has given to the surface of Runa the character of the best natural stones, strong at sight and gentle at touch.

The result is a ceramic collection that returns the sober and harmonious elegance of slates with a modern and dynamic mood. A collection that brings the best of the inspiring Italian contemporary design to any type of ambience and location.



Wall: Beige 120x240, 60x120
Floor: Beige 120x240

4 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Grigio Chiaro



Grigio Scuro



Beige



Nero



1 SURFACE


Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale *



5 SIZES

120x240 cm | 80x160 cm | 60x120 cm | 60x60 cm | 30x60 cm








*Naturale finish refers to R10.
R11, R12 are available on request only.





Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | RUNA

SIZE	CODE	Color/DESIGN
 120x240 cm	F14RNAGONRO F14RNAG1NRO F14RNABONRO F14RNAKONRO	Grigio Chiaro Grigio Scuro Beige Nero
 80x160 cm	F86RNCGONRO F86RNCG1NRO F86RNCBONRO F86RNCKONRO	Grigio Chiaro Grigio Scuro Beige Nero
 60x120 cm	F62RNAGONRO F62RNAG1NRO F62RNABONRO F62RNAKONRO	Grigio Chiaro Grigio Scuro Beige Nero
 60x60 cm	F60RNCGONRO F60RNCG1NRO F60RNCBONRO F60RNCKONRO	Grigio Chiaro Grigio Scuro Beige Nero
 30x60 cm	F63RNAGONRO F63RNAG1NRO F63RNABONRO F63RNAKONRO	Grigio Chiaro Grigio Scuro Beige Nero

Surface pattern options

 60x60 66,7% 30x60 33,3%	 60x120 66,7% 60x60 33,3%	 60x120 57,1% 60x60 28,6% 30x60 14,3%	 120x240 88,9% 60x60 11,1%
---	--	---	---

Wall: Grigio Scuro 60x120, 60x60 - Nero 60x120, 60x60
 Floor: Grigio Scuro 60x120, 60x60

Essenze

Essenze brings the intense taste of four precious woods that are highly appreciated in the architectural field for their ability to combine solidity and durability with refined natural elegance. Through extensive researches, Nexion has selected some of the most renowned varieties of Eucalyptus, Walnut, Middle Oak and Tortora Oak, characterized by fascinating patterns of knots, veins, nuances and other natural elements.

Inspired by their beauty, Nexion has devised a new sintered surface that transmits all the wood warmth and elevate its technical features. Among those, this surface is extremely durable, highly resistant to chemicals, stains and abrasions which makes it particularly suitable for high traffic public spaces. Essenze is offered in 20x120 size to be even more bonded to its natural inspiration.

The result is a collection that interprets the spontaneous and authentic charm of prestigious essences with a modern language, making it functional to the realization of the most ambitious projects. Essenze brings the best inspiration of contemporary Italian design in every type of space and setting.



Floor: Eucalipto 20x120

4 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Rovere Chiaro



Noce



Rovere Tortora



Eucalipto



1 SURFACE

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale



1 SIZE

20x120cm



20x120 cm

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | ESSENZE

Rovere Chiaro



Noce




Rovere Tortora



Eucalipto



SIZE	CODE	Color/DESIGN
 20x120 cm	F22ESXBONRO	Rovere Chiaro
	F22ESXFONRO	Noce
	F22ESXG1NRO	Rovere Tortora
	F22ESXF1NRO	Eucalipto

Floor: Rovere Chiaro 20x120

Coniwood

Coniwood collection brings the peaceful and elegant essence of the trees that make up the fascinating coniferous forests of Europe. Trees that stand out for the natural flavor of the wood they are made of, that conveys an intense sense of warmth and comfort and a refined time-worn feel.

Not all woods transmit the same sensation of immediate and instinctive elegance. Through accurate research, Nexion has selected the some of the nicest exemplars in the European coniferous forests, unique in their warm tones, intense nuances, and suggestive vein patterns. Inspired by them, Nexion carefully worked out designs that make long planks look beautiful and created natural surfaces by the hands of skilled craftsmen.

The result is a ceramic collection of that returns all the natural flavor, at sight and touch, of natural wood, in an eye-catching contemporary style.

A collection that brings the best of the inspiring Italian contemporary design to any type of ambience and location.



Wall & Floor: Larice 20x120

6 INSPIRATIONS

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Cedro Sbiancato



Pino



Abete



Larice



Larice Ossidato



Abete Tinto



1 SURFACE

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness

Naturale



1 SIZE

20x120cm




20x120 cm

Nexion installation suggestions

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles. For detailed installation guidelines log on www.nexiontiles.com

COLLECTIONS | CONIWOOD

SIZE	CODE	Color/DESIGN
 20x120 cm	F22CNZAONRO	Cedro Sbiancato
	F22CNZBONRO	Pino
	F22CNZB1NRO	Abete
	F22CNZCONRO	Larice
	F22CNZGONRO	Larice Ossidato
	F22CNZKONRO	Abete Tinto



Floor: Pino 20x120



Nexion | Technical info

Nexion is committed to offer to customers the finest Italian ceramic design and quality. Driven by a sense of partnership with those who have decided to promote and sell Nexion branded products, we are also committed to help dealers and sales representatives to be successful in their business.

This Catalogue has been designed to help professional sales representatives to get the best possible understanding of the unique characteristics of Nexion's collections, to the benefit of the advice they give to households, architects and developers and for the best performance of their business.

NEXION'S FOCUS ON QUALITY

Parameters of physical & chemical quality

Though the main focus of customers is on aesthetics, physical features and chemical properties of slabs and tiles are very important for the eventual result of any surface installation and, in the end, for customer's satisfaction.

Physical features are important for the ease and quality of installation and for some aspects of durability, in particular with slabs and large size tiles, that cannot be installed properly if their geometry is not perfect and that might break if not flexible enough (contrary to conventional belief, a slab is more robust if flexible rather than rigid).

The key physical features are:

- **The sharpness and regularity** of geometrical dimensions, as well as the overall surface quality (for whose assessment Nexion has devised a proprietary set of procedures – described in the next section – that goes well beyond ISO norms)
- **The physical properties** that affect installation and durability.

Chemical properties are important for maintenance and other aspects of surface durability, as they determine resistance to stain and acids, as well as cleanability.

Usage-Related Performance Properties

Usage-related features are important for maintenance and other aspects of **surface and body durability**, as they determine the surface performance such as its resistance to traffic, stains and acids, as well as cleanability and slip resistance.

Dimension and surface characteristics

Geometrical characteristics of products are important for the ease and quality of installation:

- **Precise dimensions** are important in particular for large size slabs (above 600x1200 mm), that cannot be installed properly if their geometry is not perfect
- **Flatness** is important in particular for small sizes (below or equal 600x1200 mm) as high quality slabs flex and naturally adjust to the floor (a perfectly flat floor can be easily installed following Nexion Installation Procedure for large slabs)

Intrinsic Physical Characteristics

Physical properties of slabs are important for the durability of the surface, both indoor and outdoor (floors and façades):

- **Very low water absorption** is key to avoid penetration of humidity and chemicals that may create stains, deteriorate the surface or cause breakages of the body
- **High breaking strength and modulus of rupture** are important to sustain weight in flooring applications and to resist high wind load pressure in façades
- The **superior physical performance** of slabs using high quality body and proper sinterization is a key advantage compared to natural stone.

Breaking strength and module of rupture indicate the tiles' resistance to flexion and loads. High values mean that slabs and tiles will not break under weight, with requirements depending on the application (residential, commercial, industrial ...).

The high breaking strength of Nexion's slabs and large size tiles guarantee safe and long lasting installation.

Frost resistance, coefficient of linear thermal expansion consider the temperature variables that the ceramic material can be subjected. These tests consider extreme hot-cold environmental situations that may be present in outdoor installation.

Thanks to thermal characteristics, Nexion slabs and tiles can be safely used in exterior.

The number following the letter R - from 9 to 13 - represents the anti-slip property of the tile. These are the characteristics of the 5 slipperiness classes, according to the measurement method foreseen by DIN 51130:

- R9 normal adhesion
- R10 medium adhesion.
- R11 high adhesion.
- R12 strong adhesion.

DIN 51097 provides for the use of the coefficients "A", "B" and "C".

- A medium adhesion, these are the floors that we would normally find in areas where you can access with bare feet.
- B high adhesion, tiles used to cover showers or swimming pool edges
- C strong adhesion. This degree of adhesion is particularly used in the external areas of public places, where the foot traffic is high.

TECHNICAL INFO |

MARBLE LOOKS

Nexion quality standards

ALL TESTS ARE CARRIED OUT BY ITALIAN LABORATORIES ACCREDITED ACCORDING TO ISO/IEC 17025:2017

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	UNIT	REQUIREMENTS ISO 13006:2018(E) E _y ≤0,5% GROUP BIa	NEXION Values				
					SIZE < 1200 mm		SIZE ≥ 1200 mm (SLABS)		
					%	mm	%	mm	
DIMENSIONS AND SURFACE QUALITY	Width	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm	
	Length	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,2 mm	
	Thickness	ISO 10545 - 2	mm	± 5,0%	± 4,0%	± 0,5 mm	± 4,0%	± 0,5 mm	
	Straightness of Side	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm	
	Rectangularity	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 1,3 mm	± 0,1%	± 1,5 mm	
	Surface Flatness	ISO 10545 - 2	mm	± 0,4%	± 0,1%	± 1,8 mm	± 0,2%	± 3,0 mm	
	Surface Quality	ISO 10545 - 2	-	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	95%				
PHYSICAL PROPERTIES	Water Absorption	ISO 10545 - 3	%	≤ 0,5%, Individual 0,6%	Avg. ≤ 0,08%, Individual 0,2%				
	Modulus of Rupture	ISO 10545 - 4	N/mm ²	Min. 35, Individual Min. 32	Min. 42				
	Breaking Strength	ISO 10545 - 4	N	Not less than 1300	Min. 1800				
	Moisture Expansion	ISO 10545 - 10	mm/m	-	0,02				
	SURFACE ABRASION		ISO 10545 - 7	Class	Minimum Class II Report abrasion class and cycles passed	Class III (> 750 Cycles)			
	Resistance to surface abrasion of glazed tiles intended for use on floors								
	Mohs Hardness of surface	NA	-	-	4				
	Coefficient of linear thermal expansion from ambient temperature to 100 °C	ISO 10545 - 8	K ⁻¹	As declared by the Manufacturer	6x10 ⁻⁶ K ⁻¹ max				
	Thermal Shock Resistance	ISO 10545 - 9	-	As declared by the Manufacturer	No damage				
	Crazing Resistance: glazed tiles	ISO 10545 - 11	-	Required	No damage for Min. 10 Cycles				
	Bulk Density	ISO 10545 - 3	g/cc	2,2	2,2				
	Impact Resistance	ISO 10545 - 5	-	As declared by the Manufacturer	0,55				
	Frost Resistance	ISO 10545 - 12	-	As declared by the Manufacturer	No change				
	Small color differences	ISO 10545 - 16	-	Plain colored tiles only where required GL: ΔE < 0,75 UGL: ΔE < 1,0	No change				
Resistance to staining	ISO 10545 - 14	Class	Minimum Class 3	Class 4					
Resistance to household chemicals and swimming pool salts	ISO 10545 - 13	Class	Minimum B	Minimum A					
Resistance to acids & alkalis	ISO 10545 - 13	Class	As declared by the Manufacturer	Minimum B					

ARTIFICIAL LOOKS | STONE LOOKS | WOOD LOOKS

Nexion quality standards

ALL TESTS ARE CARRIED OUT BY ITALIAN LABORATORIES ACCREDITED ACCORDING TO ISO/IEC 17025:2017

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	UNIT	REQUIREMENTS ISO 13006:2018(E) E _y ≤0,5% GROUP BIa	NEXION Values			
					SIZE < 1200 mm		SIZE ≥ 1200 mm (SLABS)	
					%	mm	%	mm
DIMENSIONS AND SURFACE QUALITY	Width	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Length	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,2 mm
	Thickness	ISO 10545 - 2	mm	± 5,0%	± 4,0%	± 0,5 mm	± 4,0%	± 0,5 mm
	Straightness of Side	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Rectangularity	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 1,3 mm	± 0,1%	± 1,5 mm
	Surface Flatness	ISO 10545 - 2	mm	± 0,4%	± 0,1%	± 1,8 mm	± 0,2%	± 3,0 mm
	Surface Quality	ISO 10545 - 2	-	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	95%			
PHYSICAL PROPERTIES	Water Absorption	ISO 10545 - 3	%	≤ 0,5%, Individual 0,6%	Avg. ≤ 0,08%, Individual 0,2%			
	Modulus of Rupture	ISO 10545 - 4	N/mm ²	Min. 35, Individual Min. 32	Min. 42			
	Breaking Strength	ISO 10545 - 4	N	Not less than 1300	Min. 1800			
	Moisture Expansion	ISO 10545 - 10	mm/m	-	0,02			
	Resistance to surface abrasion of glazed tiles intended for use on floors	ISO 10545 - 7	Class	Minimum Class II Report abrasion class and cycles passed	Class IV (> 2100 Cycles)			
	Mohs Hardness of surface	NA	-	-	7			
	Coefficient of linear thermal expansion from ambient temperature to 100 °C	ISO 10545 - 8	K ⁻¹	As declared by the Manufacturer	6x10 ⁻⁶ K ⁻¹ max			
	Thermal Shock Resistance	ISO 10545 - 9	-	As declared by the Manufacturer	No damage			
	Crazing Resistance: glazed tiles	ISO 10545 - 11	-	Required	No damage for Min. 10 Cycles			
	Bulk Density	ISO 10545 - 3	g/cc	2,2	2,2			
	Impact Resistance	ISO 10545 - 5	-	As declared by the Manufacturer	0,55			
	Frost Resistance	ISO 10545 - 12	-	As declared by the Manufacturer	No change			
	Slip Resistance	ANSI A137,1 DIN 51130	-	As declared by the Manufacturer	DCOF > 0,51 R-10			
	Small color differences	ISO 10545 - 16	-	Plain colored tiles only where required GL: ΔE < 0,75 UGL: ΔE < 1,0	No change			
Resistance to staining	ISO 10545 - 14	Class	Minimum Class 3	Class 4				
Resistance to household chemicals and swimming pool salts	ISO 10545 - 13	Class	Minimum B	Minimum A				
Resistance to acids & alkalis	ISO 10545 - 13	Class	As declared by the Manufacturer	Minimum B				

PACKAGING & SHIPPING

Packaging & delivery

Packaging is a fundamental element of customer service, being aimed at allowing maximum use of space/weight available and to minimize the risk of breakages, even on bumpy roads.

Nexion's packaging standards are based on carefully designed box and pallet packaging for the optimal load of trucks and containers.

That is very important when large tiles format are to be delivered and Nexion Logistics Department has devised a number of packaging system depending on product sizes and means of transport, including Euro-size pallets and metal A-frames.

Though shipping usually takes place under the customer's responsibility, Nexion is fully committed to help clients manage this activity in the best possible way.

Nexion's Customer Service Department works with clients and logistic companies to arrange for shipments and to guarantee that loading and unloading procedures are properly carried out, in particular at destination.

Slabs & large size tiles



A-Frame

Standard size tiles



Standard europallet

Packaging info

Shipments to domestic markets (India)

Nominal Size cm	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)
120x240	9	1	2,87	61,00
80x160	9	2	2,55	54,00
120x120	9	2	2,87	60,00
60x120	9	2	1,43	30,00
60x60	9	4	1,43	31,00
20x120	9	6	1,42	30,00
30x60	9	6	1,07	23,00

Worldwide shipments

Nominal Size cm	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. mt x pallet	Pallet weight (Kg)
120x240	9	1	2,87	61,00	37	106,30	2347,00
80x160	9	2	2,55	54,00	28	71,40	1582,00
120x120	9	2	2,87	60,00	24	68,88	1510,00
60x120	9	2	1,43	30,00	32	45,82	1003,00
60x60	9	4	1,43	31,00	34	48,69	1077,00
20x120	9	6	1,42	30,00	33	46,93	1013,00
30x60	9	6	1,07	23,00	40	42,72	943,00

Size

Nominal Size cm	Actual Size cm
120x240	119,8x239,8
80x160	79,8x159,8
120x120	119,8x119,8
60x120	59,8x119,8
60x60	59,8x59,8
20x120	19,8x119,8
30x60	29,8x59,8

Tiles are packaged in a random manner and Company cannot guarantee the type of faces inside each package.

INSTALLATION GUIDELINES

1. Handling

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120 cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:
 - minimum length of 1.2 m if the crates are handled resting on the long side
 - minimum length of 2.1 m if the crates are handled resting on the short side
- It is recommended that you handle the A Frame individually.

2. Cutting

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material. It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damaging.

3. Background

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary. Moisture of the screed must be $\leq 4\%$.
- It should be according to BS 8204-1-2003 or DIN 18560 standards.

4. Laying with adhesives

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- It is recommended to have dry laying before final laying. Direction of tiles can be checked through punches (on the back of tiles).
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries
- Adhesive will vary depend on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1) is recommended.
- Apply the adhesive onto the back of the slab with a 3mm trowel and should be well distributed on corners & edges.
- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.

5. Joints

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.

- The joints must be positioned:
 - on structural connections (structural joints)
 - between the wall and the floor (perimeter joints)
 - between one tile and another (laying joints or gaps)
 - between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).
- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240 cm minimal size actually measures 119.8x239.8 cm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.

6. Use of tile leveling system during the installation

- For optimum surface performances, it is strongly recommended to use a tile leveling system.
- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.

7. Grouting

- We recommend you to use grout with the same color as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with colored pigments in contrast with color of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.
- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout off immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.

8. Cleaning after laying

- Thorough initial cleaning is essential to ensure the

tiles a long-lasting appearance over time.

It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.

- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaid tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.
- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls

9. Ordinary cleaning and care of surfaces

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though; In the event, you should still test the effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.
- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH > 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After Installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

Design, Marketing & Global Sales
Via 2 Giugno, 18
41042 Fiorano Modenese
Modena (Italy)
globalcs@nexiontiles.com
www.nexiontiles.com

Headquarters & Indian Sales
Nexion Surfaces Private Limited
1104-1105, Shapath V, S.G. Highway
Ahmedabad - 380 015, Gujarat (India)
indiancs@nexiontiles.com
www.nexiontiles.com

Production & Logistics
Survey no. 171 P Unchi Mandal
Morbi Halvad highway
363642 Morbi, Gujarat (India)
logistics@nexiontiles.com